

सं. ४३१७

NO 4297

नामधेनी दाखला

आमि दाखले जाण्याबाबत यावे तसे देण अखेरचा दाखले २७-१२-१९७० या प्रमाणे दाखले  
दुसरे पत्राला (सं. १९७० या प्रमाणे १९ म) अधिनियम अन्वये... पत्राली  
अखेरचा दाखले देण्याबाबत देण ही अखेरचा दाखले दे.

आमि दाखले देण... *राधाबाई शिंदे*...  
*राधाबाई*

आमि दाखले देण... *श्री मंगल रामलाल शिंदे*...  
*श्री मंगल रामलाल शिंदे*



TRUE COPY  
FOR RAMANBHAI FOUNDATION  
TRUSTEE

*Sayshree Balasana*

## CERTIFICATE

Certified that subject to following conditions the Government of Gujarat has no objection to Zydus School for Excellence -Godhasi .Dist. Amadavad (Std 1 to Std.8 ) RUN BY Raman Foundation Amadavad being considered for affiliation to Central Board of secondary Education New Delhi,

1. The proposed school shall not admit students studying in primary/secondary school of state Government or the school grant in aid.
2. Admissions to the proposed school shall in no way Effect directly or indirectly to the above mentioned school. If the school will be closed or will be running in less than the entire Administrative and Financial Liabilities or any other liability shall be that of the trust and the Government will not be liable in any way.
3. The benefits given to the employees to the grant-in-aid school of Government of Gujarat will not be made available by the state Government to the employees of proposed school or in other words state Government shall not bear any liability in respect of the proposed school.
4. The proposed school shall not use the premises including staff, play ground or any moveable or immovable property of any other school registered under the respective Act of state Government.
5. The state Government will not bear any financial or administrative responsibility of the proposed school. The state Government will not be responsible, if the school/institution breached of any rules/norms or regulations laid down by above said board.
6. The institution shall have to obtain necessary permission of Government of India and other concerned authorities where it is necessary.
7. The recruitment of the teacher will required to be done as per Schedule-F.



  
Director of primary Education  
Gujarat state Gandhinagar

DATE 26-6-2012  
PLACE: Gandhinagar

PRI/KH-2/NOC/12/ 1250-51  
Director of primary Education OFFICE  
Block no.12/1, Dr. Jwraj Mehta Bhavan, Gandhinagar

\*To, The District Praimary Educaton Officer, Amadavad  
\* The Managing Trustes, Raman Foundation, Amadavad



# Accurate Laboratory

E-27, Madhavpura Market, Shahibaug, Ahmedabad - 380 004 Gujarat. iPhone No. : 9601754418, 9033044571  
Email : accuratelaboratory@yahoo.com, info@accuratelaboratory.in Website : www.accuratelaboratory.in

## TEST REPORT

Doc. No : AL/D/7-5/02

ULR/TC50212140301954F

Page 1 of 2

<b>Sample Submitted By :</b>	<b>ZYDUS SCHOOL FOR EXCELLENCE</b> GODHAMI, SOPAL, , Ahmedabad, Gujarat Phone No : 8341019191 Email :	<b>Test Report No</b>	: AL/AHD/10080421013
		<b>Date of Receipt</b>	: 03/04/2021
		<b>Date of Issue</b>	: 08/04/2021
		<b>Customer's Ref. No</b>	: N.M

<b>Sample Described as</b>	: water	<b>Mfg. Date</b>	: N.P.
<b>Sample Qty</b>	: 5 Ltr	<b>Exp. Date</b>	: N.P.
<b>Packing Mode</b>	: Packed in bottle	<b>S.No</b>	: N.P.
<b>Sample Condition</b>	: Satisfactory		
<b>Marking</b>	: N.M		
<b>Sample Drawn By</b>	: Customer	<b>Date of Completion</b>	: 08/04/2021
<b>Date of Starting of Test</b>	: 03/04/2021		

Sr No	Test Parameters	IS:10500 Requirement (Acceptable Limit)	IS:10500 Permissible Limit in the Absence of Alternate Source	Result	Detection Limit	Test Method
<b>Biological</b>						
<b>Water</b>						
1	Total Coliform per 100 ml	Shall not be Detectable	Shall not be Detectable	Absent	-	IS 15100 : 2010
2	E.coli per 100 ml	Shall not be Detectable	Shall not be Detectable	Absent	-	IS 15100 : 2010
<b>Chemical</b>						
<b>Water</b>						
1	Colour, Hazen Unit	Max 5.0	Max. 15.0	1	1	IS : 3025 (P-4) : 1983
2	PH	8.5 to 8.5	No Relaxation	7.62	1	IS : 3025 (P-11) : 1983
3	Turbidity, NTU	Max. 1.0	Max. 5.0	<0.1	0.1	IS : 3025 (P-18) : 1984
4	Total Dissolved Solids, mg/l	Max.500	Max.2000	80	5	IS : 3025 (P-16) : 1984
5	Aluminium (as Al) mg/l	Max 0.05	Max. 0.2	N.D.	0.02	IS : 3025 (P-35) : 2003
6	Boron (as B) mg/l	Max.0.5	Max. 2.4	N.D.	0.05	IS : 3025(P-37) : 2003
7	Calcium (as Ca), mg/l	Max 75	Max.200	8.62	0.1	IS : 3025 (P-40) : 1991
8	Chloride (as Cl), mg/l	Max.200	Max. 1000	22.34	0.5	IS : 3025 (P-32) : 1988
9	Copper (as Cu), mg/l	Max.0.05	Max.1.5	N.D.	0.02	IS : 3025 (P-42) : 1992
10	Fluoride (as F), mg/l	Max. 1.0	Max. 1.5	N.D.	0.25	IS 3025 (P-40) : 2008
11	Iron (as Fe), ppm	Max. 1.0	No Relaxation	N.D.	0.16	IS:3025 (P-53) : 2003
12	Magnesium (as Mg), mg/l	Max. 30	Max. 100	1.35	0.1	IS:3025 (P-40) : 1994
13	Manganese (as Mn), mg/l	Max. 0.1	Max. 0.3	N.D.	0.02	IS:3025 (P-50) : 2008
14	Nitrate (as NO3) mg/l	Max. 45.0	No Relaxation	N.D.	1	IS:3025 (P-34) : 1988
15	Selenium (as Se) mg/l	Max. 0.01	No Relaxation	N.D.	0.005	IS:3025 (P-60) : 2003
16	Sulfate (as SO4), mg/l	Max. 200	Max. 400	N.D.	1.0	IS:3025 (P-24) : 1989
17	Total Alkalinity as Calcium Carbonate, mg/l	Max. 200	Max. 800	22.62	0.5	IS:3025 (P-23) : 1989



Certificate No. : TC-5021



# Accurate Laboratory

E-37, Madhavpura Market, Shahibaug, Ahmedabad - 380 004 Gujarat. Phone No. : 9601754418, 9033044571  
Email : accuratelaboratory@yahoo.com, info@accuratelaboratory.in Website : www.accuratelaboratory.in

Doc. No : AL/D/7-5/02

Page 2 of 2

Test Report No : AL/AHD/10080421013

Sl No	Test Parameters	IS:10500 Requirement (Acceptable Limit)	IS:10500 Permissible Limit in the Absence of Alternate Source	Result	Detection Limit	Test Method
18	Total Hardness (as CaCO <sub>3</sub> ) ppm	Max. 200	Max. 600	25.12	0.1	IS:3025 (P-21): 2009
19	Zinc (as Zn) mg/l	Max. 5.0	Max. 15.0	N.D.	0.02	IS:3025 (P-48): 1994
20	Caesium (as Cs) mg/l	Max. 0.003	No Relaxation	N.D.	0.001	IS:3025 (P-41): 1992
21	Lead (as Pb) mg/l	Max. 0.01	No Relaxation	N.D.	0.005	IS:3025 (P-47): 1994
22	Mercury (as Hg) mg/l	Max. 0.001	No Relaxation	N.D.	0.0005	IS:3025 (P-48): 1994
23	Total Arsenic (as As) mg/l	Max. 0.01	No Relaxation	N.D.	0.005	IS:3025 (P-37): 1988
24	Total Chromium (as Cr) mg/l	Max. 0.05	No Relaxation	N.D.	0.01	IS:3025 (P-32): 2003
25	Barium (as Ba) mg/l	Max. 0.1	No Relaxation	N.D.	0.05	Ann-F of IS: 13428: 2005
26	Silver (as Ag) mg/l	Max. 0.1	No Relaxation	N.D.	0.01	Ann-J of IS: 13428: 2005
27	Molybdenum (as Mo) mg/l	Max. 0.07	No Relaxation	N.D.	0.01	IS:3025 (P-2): 1994
28	Nickel (as Ni) mg/l	Max. 0.02	No Relaxation	N.D.	0.01	IS:3025 (P-84): 2003

Opinion : Sample Conforms to IS:10500-2012 (Acceptable Limit) For the Parameters Tested.

N.M. =Not Mentioned, N.D. =Not Detected, D.L. =Detection Limit



\*\*\* END OF REPORT \*\*\*

FOR, ACCURATE LABORATORY

*Zarni Vard - Ami Patel*  
Zarni Vard - Ami Patel

Autho. Signatory



Certificate No. : TC-5021



# Accurate Laboratory

E-17, Madhavpura Market, Shahibaug, Ahmedabad - 380 004 Gujarat. Phone No. : 9601754418, 9033044571  
 Email : accuratelaboratory@yahoo.com, info@accuratelaboratory.in Website : www.accuratelaboratory.in

## TEST REPORT

Doc. No : AL/D/7.5/02

Page 1 of 2

<b>Sample Submitted By :</b> ZYDUS SCHOOL FOR EXCELLENCE GODHAVI, BOPAL, Ahmedabad, Gujarat Phone No : 0141019191 Email :	<b>Test Report No</b> : AL/AKD/10080421013/NH <b>Date of Receipt</b> : 03/04/2021 <b>Date of Issue</b> : 06/04/2021 <b>Customer's Ref. No</b> : N.M
--	--

<b>Sample Described as</b> : water <b>Sample Qty</b> : 1 Ltr <b>Packing Mode</b> : Packed in bottle <b>Sample Condition</b> : Satisfactory <b>Marking</b> : N.M	<b>Mfg. Date</b> : N.M. <b>Exp. Date</b> : N.M. <b>S.No</b> : N.M
<b>Sample Drawn By</b> : Customer <b>Date of Starting of Test</b> : 03/04/2021	<b>Date of Completion</b> : 06/04/2021

Sr No	Test Parameters	IS:10580 Requirement (Acceptable Limit)	IS:10500 Permissible Limit in the Absence of Alternate Source	Result	Detection Limit	Test Method
<b>Chemical Water</b>						
1	Colour	Agreeable	Agreeable	Agreeable	—	IS: 3025 (P-6) : 1983
2	Taste	Agreeable	Agreeable	Agreeable	—	IS : 3025 (P-7 & 8) : 1984
3	Anionic Surface active agents (as MBAS) mg/l	Max. 0.2	Max. 1.0	N.D.	0.1	Ann K of IS : 13428:2005
4	Mineral Oil mg/l	Max. 0.3	No Relaxation	N.D.	0.4	IS:3025(P-36):1991
5	Phenolic Compounds (as CEHSOH) mg/l	Max. 0.001	Max. 0.002	N.D.	0.0001	IS:3025(P-43):1992
6	Cyanide (as CN) mg/l	Max. 0.05	No Relaxation	N.D.	0.005	IS:3025(P-27):1986
7	Residual Free Chlorine mg/l	Min. 0.2	Max. 1.0	N.D.	0.05	IS:3025(P-26):1986
8	Amylene (as Total Ammonia-N) mg/l	Max. 0.3	No Relaxation	N.D.	0.1	IS:3025(P-34):1986
9	Chloramines (as Cl <sub>2</sub> ) mg/l	Max. 4.0	No Relaxation	N.D.	0.05	IS:3025(P-26):1986
10	Sulphide (as H <sub>2</sub> S) mg/l	Max 0.35	No Relaxation	N.D.	0.05	IS:3025(P-39): 2003
11	Polycarbonated Biphrenyls (PCB) mg/l	Max. 0.0020	No Relaxation	N.D.	0.0001	APHA 6440
12	Polynuclear Aromatic Hydrocarbon (PAH) mg/l	Max. 0.0021	No Relaxation	N.D.	0.0001	APHA 6440
13	Pesticide Residue					—
14	p.p. COD ppf	Max. 1	No Relaxation	N.D.	0.01	AOAC 990.30
15	o.p. COD ppf	Max. 1	No Relaxation	N.D.	0.01	AOAC 990.30
16	p.p. ODE ppf	Max. 1	No Relaxation	N.D.	0.01	AOAC 990.30
17	o.p. ODE ppf	Max. 1	No Relaxation	N.D.	0.01	AOAC 990.30
18	p.p. DOT ppf	Max. 1	No Relaxation	N.D.	0.01	AOAC 990.30
19	o.p. DOT ppf	Max. 1	No Relaxation	N.D.	0.01	AOAC 990.30





AHMEDABAD MUNICIPAL CORPORATION  
AHMEDABAD FIRE AND EMERGENCY SERVICES DEPARTMENT  
Danapith Fire Station (Hqrs.) Nr. AM Corporation, Danapith Ahmedabad-380001.  
Phone No: 079 22148466/67/68 Fax No:079 22148598

F.B.No. 6, School NOC

27<sup>th</sup> January 2021

**TO WHOM SO EVER IT MAY CONCERN**

This is to certify that the management of "Zydus School For Excellence, Godhavi." Located at: Survey No. 766 & 767, Godhavi Village, Nr. Vanashree Farm, Bopal - Sanad Road, Ahmedabad. Have provided for the required fire Protection of the School Building and was inspected today and fire risks observed were of very low category and evacuation in case of emergency cannot be a problem.

The Fire Department has NO OBJECTION to the said premises as required level of Fire Protection is provided.

- |   |           |
|---|-----------|
| • 5 Kg. Capacity ABC type Fire Extinguishers        | (25 Nos.) |
| • 5 Kg. Capacity ABC type Fire Extinguishers        | (01 Nos.) |
| • 9 Liter Capacity Water/Co2 type Fire Extingushier | (01 Nos.) |
| • 3 Kg. Capacity Co2 type Fire Extinguishers.       | (18 Nos.) |
| • 4.5 Kg. Capacity Co2 type Fire Extingushier       | (01 Nos.) |

All Extinguishers installed shall be maintained in working order throughout the validity period of this certificate.

The Certificate is valid till 31<sup>st</sup> January 2022.

Inspected by:

28/1/21  
Rajesh Datta  
Asst CPO



Chief Fire Officer  
Ahmedabad Municipal Corporation



# જિલ્લા પ્રાથમિક શિક્ષણાધિકારીશ્રીની કચેરી શ્રીજો માળ, જિલ્લા પંચાયત કચેરી, લાલ દરવાજા, અમદાવાદ

Phone : 079-25507126, Fax : 079-25501956, Email id : dpeo.ddo.ahd@gmail.com

**RTE TOP URGENT**

નં.ડીપી/શિક્ષણ/પ્રમ-૨/આરટીઈ/૧.૧૯/૨૮૫  
તા.૦૮/૦૫/૨૦૧૯

પ્રતિ,  
આચાર્યશ્રી/સંચાલકશ્રી  
ZYDUS SCHOOL FOR EXCELLENCE  
ગોધાવી, સામુંદ, અમદાવાદ

**વિષય: વિષય: RTE હેઠળ વર્ષ: ૨૦૧૯-૨૦ ની પ્રવેશ ફાળવણી માબત**

ઉપરોક્ત વિષય તથા સંદર્ભે આપને જણાવવાનું કે RTE હેઠળ શૈક્ષણિક વર્ષ: ૨૦૧૯-૨૦ ની પ્રવેશ પ્રક્રિયાનો પ્રથમ રાઉન્ડ તા.૦૫/૦૫/૨૦૧૯ થી શરૂ થયેલ છે, તે અંતર્ગત આપની ZYDUS SCHOOL FOR EXCELLENCE માં એડમિશનની ફાળવણી થયેલ છે. ખાસતી બિનઅનુદાનિત પ્રાથમિક શાળાઓમાં RTE અધિનિયમ- ૨૦૦૯ અને નિયમ-૧૨ તેમજ શિક્ષણ વિભાગના તા.૦૨/૦૪/૨૦૧૯ના કચવ અંતર્ગત નમત્યા અને વંચિત વૃત્તિના બાળકોને પ્રવેશ આપવાની કાર્યવાહી વેબપોર્ટલના માધ્યમથી ઓનલાઈન થયેલ છે, તે અંતર્ગત GIS મેર્ગીન દ્વારા વાલીને સંબંધિત શોધાણી ઓન એર (DISTANCE) માંથી સર્પેક્ષમાં નજીકની શાળામાં બાળકને એડમિશન ફાળવણ છે. આપના અંતર ખાને લેવાનું નથી. વધુમાં શાળાએ પ્રવેશ પ્રક્રિયા સમયે અંતર ખાનમાં લેવાનું રહેતું નથી. આથી આપને પ્રશ્ન રહેતું હોય તો ફાળવણેલ તમામ એડમિશન આ ઓનલાઈન પ્રક્રિયાના આરટીઈ માપદંડ અનુસાર જ હોઈ પ્રવેશ આપવાની કાર્યવાહી તા.૧૩/૦૫/૨૦૧૯ પહેલા પૂર્ણ કરવા આથી જણાવવામાં આવે છે.

RTE હેઠળના બાળકોના પ્રવેશ માબતે શાળા વેબસાઇટ પર ઉપરોક્ત નોંધો તો RTE એક્ટ-૨૦૦૯ અને RTE ફક્સ ૨૦૧૨ની જોગવાઈઓ અન્વયે શાળા સામે કાર્યવાહી કરવામાં આવે તેની ખાસ નોંધ લેશો.

આમ, ઉક્ત વિષયે આ પ્રવેશ RTE (RIGHT TO EDUCATION) હેઠળના હોઈ વાલીઓને બિનજરૂરી તકલીફ ન પડે, તેની અંતર કાળજી રાખવા જણાવવામાં આવે છે.



*Dhruv*  
જિલ્લા પ્રાથમિક શિક્ષણાધિકારી  
જિલ્લા પંચાયત શિક્ષણ સમિતિ  
અમદાવાદ

(પ્રાથમિક શિક્ષણ નિયામકશ્રી ગાંધીનગરના પત્ર ક્રમાંક/૨૯/ખપરા/૬/૪૭/૯૯/માન્યતા/૯૪૬૬-૯૪૯૦  
તા.૩-૫-૯૯ મુજબ મળેલી સત્તાની રૂબે)

૫૩૭ ૫૩૬

નવી શાળા

Trust

ક્રમાંક/જિપ્રાશિઅ/પ્રાથમિક/માન્યતા/૨૦૧૦/૧૨૧૨૫  
જિલ્લા પ્રાથમિક શિક્ષણાધિકારી ની કચેરી  
જિલ્લા પંચાયત, શિક્ષણ સમિતિ  
ભદ્ર, અમદાવાદ, તા. ૦૬/૦૪/૨૦૧૦

પ્રતિ,  
મેનેજંગટ્રસ્ટી શ્રી,  
રમણભાઈ કાઉન્સેશન, ૧૬-આઝાદ સોસાયટી, નહેરુનગર,  
આંબાવાડી, અમદાવાદ. ૧૫

વિષય :- ૨૦૧૦-૧૧ ના શૈક્ષણિક વર્ષ જુન-૨૦૧૦ થી નવી ખાનગી પ્રાથમિક શાળા શરૂ કરવાની મંજૂરી બાબત.

સંદર્ભ (૧) મેનેજંગટ્રસ્ટીશ્રી રમણભાઈ કાઉન્સેશન, ૧૬-આઝાદ સોસાયટી, નહેરુનગર, આંબાવાડી, અમદાવાદ. ૧૫ દ્વારા ઝાપડસ સ્કૂલ ફોર એક્સલેન્સ, મું.પી. ગોધાવી, બોપલ સર્કલ રોડ, તા. સાણંદ, જી.અમદાવાદ નામથી ૨૦૧૦-૨૦૧૧ ના શૈક્ષણિક વર્ષથી નવી ખાનગી પ્રા.શાળાની મંજૂરી માટેની અરજી તા. ૨૯/૧૨/૨૦૦૯.


(૨) આ કચેરીના કે.નિ શ્રી જી.એચ.જોષી ની અરજી ની ચકાસણી અંગેની વિશેષ નોંધો અને ભલામણો તા. ૧૦/૩/૨૦૧૦.

ઉપરોક્ત વિષય અન્વયે સંદર્ભમાં ક્રમ (૧) માં નિર્દેશ કરેલ અરજી અન્વયે ક્રમ (૨) માં નિર્દેશ કરેલ અધિકૃત અધિકારીની ઉક્ત અરજીની ચકાસણી અંગેની વિશેષ નોંધો અને ભલામણો ઉપર વિચારણા કરી ને સંદર્ભમાં ક્રમ (૧) માં નિર્દેશ કરેલ ટ્રસ્ટની શાળાને અંગ્રેજી માધ્યમમાં ધો.૧ થી ૭ નો એક એક વર્ગ નવી ખાનગી પ્રા.શાળા તરીકે શિક્ષણ આપવા માટે મુબઈ પ્રાથમિક શિક્ષણ અધિનિયમ, ૧૯૪૭ અને તે હેઠળના નિયમોની જોગવાઈઓ હેઠળ અનુદાન નહીં મેળવવાની શરતે આ સાથે જોડેલ અનુસુચિ-૧ ની શરતોનું પાલન કરવાની શરતે, જુન-૨૦૧૦ થી માન્ય ખાનગી પ્રાથમિક શાળા તરીકે મંજૂર કરવામાં મંજૂરી આપવામાં આવે છે. શાળાએ તથા શાળા મંડળે " શિક્ષણ એક " ની તમામ શરતોનું પાલન કરવાનું રહેશે. તથા શિક્ષકોને સરકારી પાસા પોરણ મુજબ પ્રગતિ બધ્યા ચુકવવાના રહેશે.

નવી શાળાના કિસ્સામાં આપવામાં આવેલ મંજૂરી પ્રમાણપત્રનો નંબર : ૨૫

નોંધ :- સને ૨૦૧૦ના પ્રથમ સત્ર સુધીમાં બી.યુ.પી. સર્ટીફિકેટ રજૂ કરવાની શરતે મંજૂરી આપવામાં આવે છે.

  
નકલ સવિનય રવાના જાણ સારૂ,  
મે.પ્રાથમિક શિક્ષણ નિયામકશ્રી, ગાંધીનગર.

  
જિલ્લા પ્રાથમિક શિક્ષણાધિકારી  
જિલ્લા પંચાયત શિક્ષણ સમિતિ  
અમદાવાદ.





205-206, 2nd Floor, Alpha Megacon House,  
Opp. Armieda, Pakawan To Sindhubhavan Road,  
S.G.Highway, Ahmedabad- 380054.  
Ph-079-29708381, 98796 08893  
Email - shahvijayd@gmail.com  
info@bhoomiconsultants.com

[www.bhoomiconsultants.com](http://www.bhoomiconsultants.com)

**TO WHOM SO EVER IT MAY CONCERNED**

**Date: 13/09/2021**

This is to certify that Zydus School for excellence- Godhavi, survey no 766 & 767, village Godhavi, Bopal Sanand Road, Ahmedabad, the said premise consists buildings (primary, secondary and administrative), these building were being surveyed / inspect by us and found in good condition, no damage, deterioration was found.

The existing building condition is good for another 5 years for usage, unless otherwise, structural modifications are done or any damage are done to structure, internally or externally, which should be brought to our notice before carrying out any structural changes.

Yours Faithfully,

**Bhoomi Consultants,**

**Authorized Signatory**

**SHAH VIJAY D.**  
Reg. No. Auda/SD-I/040  
401, Silver Cross, Opp. Sagun Palace  
Shivranjani Cross Road, Satellite  
Ahmedabad-15